




## Product Description



### 1. Product Name

Incomat® Stan 20.112

### 2. Product Description

Geosynthetic concrete mattress

### 3. Raw Materials used

Raw Material:

MD / CMD

PA / PE

## Technical data

#### 01. Mass per unit area

(DIN EN ISO 9864)

g/m<sup>2</sup>      ≅ 400

#### 02. Nominal Tensile Strength per Layer

(DIN EN ISO 10319)

MD

CMD

kN/m      ≥ 45

kN/m      ≥ 25

#### 03. Strain at Nominal Tensile Strength

Per Layer (DIN EN ISO 10319)

MD

CMD

%      ≤ 20

%      ≤ 20

#### 04. Pore Size O<sub>90</sub> per Layer of the Fabric

(EN ISO 12956)

µm      ≅ 250

#### 05. Water Permeability Index Normal to the Plane

of single layer fabric (EN ISO 11058)

l/m<sup>2</sup>/s      ≅ 6

#### 06. Average Thickness after Filling

cm      ~ 14

#### 07. Standard Roll Dimensions

(width x length)

m x m      5,00 x 200